

# Pro Double Towers AGR


305 x 74 cm | 5.2 / 7.2 m



✓ EN1004

PRO

10 YEAR WARRANTY



## Specifications

- Working Height: 7.2 m
- Standing Height: 5.2 m
- Scaffolding Class: 3.0
- Length: 305 cm
- Weight: 165.66 kg
- Width: 74 cm
- Material: Aluminium,Veneer
- Colour: Grey
- Castor Size: Ø12,5 cm
- Load Capacity: 200 kg/m²
- Certification: EN1004
- Jumbo Brand: PRO SCAFFOLDS

Product no.	DBNumber	EAN Code	Jumbo Brand	Warranty	Net Weight
79305-5-A	2335391		PRO SCAFFOLDS	10 years	165.66 kg

## Description

The JUMBO Scaffolding Pro Double Towers AGR is the perfect choice for professional craftsmen who require flexibility and stability in their work tasks. The scaffold is specifically designed for 2 m planking, with a maximum height of 3.40 m to the first platform and 2.25 m between subsequent platforms, making it ideal for larger projects.

This scaffold is equipped with the advanced AGR guardrail, featuring built-in diagonal bracing to ensure optimal stability and safety. The claws on the diagonals and guardrails are made from high-impact, fibreglass-reinforced plastic, providing extra durability and strength.

The scaffold platforms are made from waterproof, non-slip Finnish birch plywood, mounted in strong aluminium frames. The staggered hooks on the platforms allow for lengthwise extension without displacement, and the patented storm lock underneath ensures that the platforms stay securely in place under all weather conditions.

As standard, JUMBO Scaffolding comes with Ø125 mm castors with brakes. The castors feature a durable polyurethane coating, making them resistant to solvents and wear. The castors can be replaced with larger Ø200 mm castors with brakes a

# Detail Images



Non-slip platforms equipped with staggered hooks, which makes lengthwise extention without displacement possible



Placed at each end under the platform, the patented storm locks are used to secure the platform to the scaffold



Fully welded frames



Impact-resistant Fibreglass Reinforced Plastic Claws

## The set consists of


4 STK	1400125	Castor w/brakes
2 STK	12074100	Frame 1 m
1 STK	1103050	Horizontal brace / diagonal
2 STK	1003051	Platform w/hatch
8 STK	FLB-1	Toeboard clip
1 STK	katalog/avis	JUMBO 2024 product brochure

4 STK	12074200	Frame 2 m
2 STK	12074101	Guardrail frame narrow 1 m
6 STK	1103050-AGR	Railing w/diagonals
12 STK	1600100	Safety clips
1 STK	mont-RULLE	Assembly instructions Rolling scaffold

## Spareparts



## Accessories



Railing w/diagonals  
1103050-AGR  
2335721



Toeboard Sets  
1620305s  
5741565



Exchanges castors  
1400204  
7782766




Platform Sets w/Railing  
103051sk  
5741559



Frame 2 m  
12074200  
7782808



Frame 1 m  
12074100  
7782816



Guardrail frame narrow 1 m  
12074101  
7782824



Outrigger  
1410150  
7782741



Extensions set for single  
towers

s-1305

5929675