

# Pro Facade Scaffolds Flex

Aluminium | 1,8 x 15 m



## Specifications

Working Height: 3.8 m  
Standing Height: 1.8 m  
Scaffolding Class: 3.0  
Length: 15 m  
Weight: 190.64 kg  
Material: Aluminium  
Colour: Grey  
Jumbo Brand: PRO SCAFFOLDS

| Product no. | DBNumber | EAN Code | Jumbo Brand   | Warranty | Net Weight |
|-------------|----------|----------|---------------|----------|------------|
| 211815      | 5794111  |          | PRO SCAFFOLDS | 10 years | 190.64 kg  |

## Description

The Pro Flex Facade Scaffold is renowned for having the lightest frames on the market, making it the ideal choice for professionals seeking a combination of strength and light weight. The scaffold is made from aluminium alloy 6005 T6, ensuring high durability and low weight, with tube dimensions of Ø 50 x 2 mm and fully welded frames providing extra stability.

This flexible system offers many options for customization and expansion, making it easy to adjust the scaffold for various tasks. Horizontal braces and diagonals are equipped with impact-resistant, fully welded claws, enhancing the scaffold's robustness and safety.

The JUMBO Scaffolding Platform, supplied with the scaffold, consists of waterproof, non-slip Finnish plywood in pure birch wood, mounted in strong aluminium side-pieces. The platforms are designed with staggered hooks, allowing lengthwise extension without displacement. On the underside of the platform is a patented storm lock, securing the deck and fitting all types of scaffolding.

This set does not include a railing, providing the option to further customize the scaffold to meet specific needs.

# Detail Images



High-impact self-locking claws on all horizontal braces and diagonals (tube dimensions: Ø50x2mm). The claws are cast solid quality with fully welded joints.

Fully welded frames

## The set consists of

|       |          |                  |        |             |  |
|-------|----------|------------------|--------|-------------|--|
| 6 STK | 12077200 | Bottom frame 2 m | 1 STK  | 1103050     | Horizontal brace / diagonal              |
| 1 STK | 1103510  | Diagonals        | 5 STK  | 1003050     | Platform w/o hatch                       |
| 1 STK | 1550212  | Scaffold Ladders | 12 STK | 26ST1002    | Base Jacks                               |
| 4 STK | 26ST1005 | Tie rod w/clamp  | 4 STK  | 1590010     | Rawplugs                                 |
| 4 STK | 1591010  | Eye Screws       | 1 STK  | mont-FACADE | Assembly instructions Facade scaffolding |

## Spareparts



ALU Locking mechanism  
1600300



Plywood for platforms w/o hatch  
7501780



Hook  
1690050



Storm lock  
1003050231



End piece  
100305023



Screw  
5,5x25 skrue



Pop rivet  
Popnitte6,4x22



Pop rivet  
Popnitte6,4x12



Single Coupler  
18SFS216  
5189340



Bushing  
1400210NY



Top plug for screwjack  
1400211NY



ALU Locking mechanism  
1600300

## Accessories



Wide bottom frame  
12135225  
5189254



Open frame  
12131200  
5189252



Bottom frame 2 m  
12077200  
5929664



Top frame 2 m  
12079200  
5929665



Bracket  
1520030  
5189257



Bracket  
1520060  
5929687



Bracket  
1520060H  
5929688



Scaffold Ladders  
1550212  
5929691