

Pro Facade Scaffolds Flex

Aluminium | 2 x 9 m



Specifications

Working Height: 4 m
Standing Height: 2 m
Scaffolding Class: 3.0
Length: 9 m
Weight: 154.66 kg
Material: Aluminium
Colour: Grey
Jumbo Brand: PRO SCAFFOLDS

| Product no. | DBNumber | EAN Code | Jumbo Brand | Warranty | Net Weight |
|-------------|----------|----------|---------------|----------|------------|
| 212009 | 5794114 | | PRO SCAFFOLDS | 10 years | 154.66 kg |

Description

The Pro Flex Facade Scaffold is renowned for having the lightest frames on the market, making it the ideal choice for professionals seeking a combination of strength and light weight. The scaffold is made from aluminium alloy 6005 T6, ensuring high durability and low weight, with tube dimensions of Ø 50 x 2 mm and fully welded frames providing extra stability.

This flexible system offers many options for customization and expansion, making it easy to adjust the scaffold for various tasks. Horizontal braces and diagonals are equipped with impact-resistant, fully welded claws, enhancing the scaffold’s robustness and safety.

The JUMBO Scaffolding Platform, supplied with the scaffold, consists of waterproof, non-slip Finnish plywood in pure birch wood, mounted in strong aluminium side-pieces. The platforms are designed with staggered hooks, allowing lengthwise extension without displacement. On the underside of the platform is a patented storm lock, securing the deck and fitting all types of scaffolding.

This set does not include a railing, providing the option to further customize the scaffold to meet specific needs.

Detail Images



High-impact self-locking claws on all horizontal braces and diagonals (tube dimensions: Ø50x2mm). The claws are cast solid quality with fully welded joints.



Fully welded frames

The set consists of

| | | | | | |
|-------|----------|-----------------------------|-------|-------------|--|
| 4 STK | 12077200 | Bottom frame 2 m | 1 STK | 12074101 | Guardrail frame narrow 1 m |
| 7 STK | 1103050 | Horizontal brace / diagonal | 1 STK | 1103510 | Diagonals |
| 3 STK | 1003050 | Platform w/o hatch | 1 STK | 1550212 | Scaffold Ladders |
| 8 STK | 26ST1002 | Base Jacks | 3 STK | 1540100 | Handrail post |
| 6 STK | 1600100 | Safety clips | 6 STK | FLB-1 | Toeboard clip |
| 3 STK | 26ST1005 | Tie rod w/clamp | 3 STK | 1590010 | Rawplugs |
| 3 STK | 1591010 | Eye Screws | 1 STK | mont-FACADE | Assembly instructions Facade scaffolding |

Spareparts



ALU Locking mechanism
1600300



Plywood for platforms w/o hatch
7501780



Hook
1690050



Storm lock
1003050231



End piece
100305023



Screw
5,5x25 skrue



Pop rivet
Popnitte6,4x22



Pop rivet
Popnitte6,4x12



Single Coupler
18SFS216
5189340



Bushing
1400210NY



Top plug for screwjack
1400211NY



ALU Locking mechanism
1600300

Accessories



Wide bottom frame
12135225
5189254



Open frame
12131200
5189252



Bottom frame 2 m
12077200
5929664



Top frame 2 m
12079200
5929665



Bracket
1520030
5189257



Bracket
1520060
5929687



Bracket
1520060H
5929688



Scaffold Ladders
1550212
5929691