Pro Facade Scaffolds Flex

Aluminium | 4 x 15 m



Specifications

Working Height: 6 m Standing Height: 4 m Scaffolding Class: 3.0 Length: 15 m Weight: 429.26 kg Material: Aluminium Colour: Grey Jumbo Brand: PRO SCAFFOLDS

Product no.	DBNumber	EAN Code	Jumbo Brand	Warranty	Net Weight
214015	5794120		PRO SCAFFOLDS	10 years	429.26 kg

Description

The Pro Flex Facade Scaffold is renowned for having the lightest frames on the market, making it the ideal choice for professionals seeking a combination of strength and light weight. The scaffold is made from aluminium alloy 6005 T6, ensuring high durability and low weight, with tube dimensions of \emptyset 50 x 2 mm and fully welded frames providing extra stability.

This flexible system offers many options for customization and expansion, making it easy to adjust the scaffold for various tasks. Horizontal braces and diagonals are equipped with impact-resistant, fully welded claws, enhancing the scaffold's robustness and safety.

The JUMBO Scaffolding Platform, supplied with the scaffold, consists of waterproof, non-slip Finnish plywood in pure birch wood, mounted in strong aluminium side-pieces. The platforms are designed with staggered hooks, allowing lengthwise extension without displacement. On the underside of the platform is a patented storm lock, securing the deck and fitting all types of scaffolding.

This set does not include a railing, providing the option to further customize the scaffold to meet specific needs.

Detail Images





High-impact self-locking claws on all horizontal braces and diagonals (tube dimensions: Ø50x2mm). The claws are cast solid quality with fully welded joints.

The set consists of

6 STK	12077200
2 STK	12074101
2 STK	1103510
1 STK	1003051
12 STK	26ST1002
4 STK	1540100
16 STK	FLB-1
8 STK	1590010
1 STK	mont-FACADE

Bottom frame 2 m Guardrail frame narrow 1 m Diagonals Platform w/hatch Base Jacks Handrail post Toeboard clip Rawplugs Assembly instructions Facade scaffolding

6 STK	12079200
21 STK	1103050
9 STK	1003050
2 STK	1550212
1 STK	1540000
20 STK	1600100
8 STK	26ST1005
8 STK	1591010

Top frame 2 m Horizontal brace / diagonal Platform w/o hatch Scaffold Ladders End piece Safety clips Tie rod w/clamp Eye Screws

Spareparts



ALU Locking mechanism



Plywood for platforms w/o hatch 7501780



Hook 1690050



Pop rivet Popnitte6,4x22



Top plug for screwjack 1400211NY



Storm lock 1003050231



Pop rivet Popnitte6,4x12



ALU Locking mechanism 1600300



End piece 100305023



Single Coupler 18SFS216 5189340

Accessories



Screw

5,5x25 skrue

Bushing 1400210NY



