# **Pro Facade Scaffolds Flex**

Aluminium | 6 x 15 m





## **Specifications**

Working Height: 8 m Standing Height: 6 m Scaffolding Class: 3.0 Length: 15 m

Weight: 621.24 kg Material: Aluminium Colour: Grey

Jumbo Brand: PRO SCAFFOLDS

| Product no. | DBNumber | EAN Code | Jumbo Brand   | Warranty | Net Weight |
|-------------|----------|----------|---------------|----------|------------|
| 216015      | 5794125  |          | PRO SCAFFOLDS | 10 years | 621.24 kg  |

#### **Description**

The Pro Flex Facade Scaffold is renowned for having the lightest frames on the market, making it the ideal choice for professionals seeking a combination of strength and light weight. The scaffold is made from aluminium alloy 6005 T6, ensuring high durability and low weight, with tube dimensions of Ø 50 x 2 mm and fully welded frames providing extra stability.

This flexible system offers many options for customization and expansion, making it easy to adjust the scaffold for various tasks. Horizontal braces and diagonals are equipped with impact-resistant, fully welded claws, enhancing the scaffold's robustness and safety.

The JUMBO Scaffolding Platform, supplied with the scaffold, consists of waterproof, non-slip Finnish plywood in pure birch wood, mounted in strong aluminium side-pieces. The platforms are designed with staggered hooks, allowing lengthwise extension without displacement. On the underside of the platform is a patented storm lock, securing the deck and fitting all types of scaffolding.

This set does not include a railing, providing the option to further customize the scaffold to meet specific needs.

## **Detail Images**



High-impact self-locking claws on all horizontal braces and diagonals (tube dimensions: Ø50x2mm). The claws are cast solid quality with fully welded joints.

6 STK | 12077200



The set consists of

| 2 STK         | 12074101    | Guardra  |
|---------------|-------------|----------|
| 3 STK         | 1103510     | Diagona  |
| 2 STK         | 1003051     | Platform |
| <b>12</b> STK | 26ST1002    | Base Ja  |
| 4 STK         | 1540100     | Handrail |
| <b>24</b> STK | FLB-1       | Toeboar  |
| <b>12</b> STK | 1590010     | Rawplug  |
| 1 STK         | mont-FACADE | Assemb   |

| Bottom frame 2 m             |
|------------------------------|
| Guardrail frame narrow 1 m   |
| Diagonals                    |
| Platform w/hatch             |
| Base Jacks                   |
| Handrail post                |
| Toeboard clip                |
| Rawplugs                     |
| Assembly instructions Facade |
| scaffolding                  |
|                              |

| <b>12</b> STK | 12079200 |
|---------------|----------|
| <b>31</b> STK | 1103050  |
| <b>13</b> STK | 1003050  |
| <b>3</b> STK  | 1550212  |
| <b>3</b> STK  | 1540000  |
| <b>32</b> STK | 1600100  |
| <b>12</b> STK | 26ST1005 |
| <b>12</b> STK | 1591010  |
|               | •        |

Top frame 2 m
Horizontal brace / diagonal
Platform w/o hatch
Scaffold Ladders
End piece
Safety clips
Tie rod w/clamp
Eye Screws

**Spareparts** 



ALU Locking mechanism 1600300



Plywood for platforms w/o hatch 7501780



Hook 1690050



Storm lock 1003050231



End piece 100305023



Screw 5,5x25 skrue



Pop rivet Popnitte6,4x22



Pop rivet Popnitte6,4x12



Single Coupler 18SFS216 5189340



Bushing 1400210NY



Top plug for screwjack 1400211NY



ALU Locking mechanism 1600300

## **Accessories**



Wide bottom frame 12135225 5189254



Open frame 12131200 5189252



Bottom frame 2 m 12077200 5929664



Top frame 2 m 12079200 5929665



Bracket 1520030 5189257



Bracket 1520060 5929687



Bracket 1520060H 5929688



Scaffold Ladders 1550212 5929691