# **Universal Scaffold Pro**

Standard | Steel | 2 x 24 M







EN12810

Working Height: 4 m Standing Height: 2 m Scaffolding Class: 5.0 Length: 24 m Weight: 2397.37 kg Material: Steel Colour: Grey Load Capacity: 450 kg/m<sup>2</sup> Certification: EN12810 Jumbo Brand: PRO SCAFFOLDS

| Product no. | DBNumber | EAN Code | Jumbo Brand   | Warranty | Net Weight |
|-------------|----------|----------|---------------|----------|------------|
| 262024      | 5189611  |          | PRO SCAFFOLDS | 3 years  | 2397.37 kg |

#### Description

The JUMBO Universal Scaffold Pro with carpenter setup is designed to meet the demands of professional craftsmen working in challenging environments. The scaffold is made from hot-dip galvanised high-quality steel, providing long-lasting durability and resistance to corrosion.

The scaffolding is very versatile as it can be classified from scaffolding class 2-5 depending on what type of grating, platform etc. that is in use. A Scaffolding will always be classified depending on the lowest classified component.

The scaffold is built with the longest possible columns, offering extra height and stability, making it ideal for large construction projects. It features wood/wood standard planks measuring 48x220 cm, providing a secure and stable working surface. The bracket fastenings ensure a strong and reliable connection between scaffold components.

The JUMBO Universal Scaffold Pro is supplied with one layer of planks, making it ready for use and suitable for a wide range of tasks requiring a robust and dependable scaffold.

### **Detail Images**

#### The set consists of

| <b>7</b> STK | 26GS1012         | Standard tube                             |
|--------------|------------------|---|
| 32 STK       | 26GS1091         | Ledger beam                               |
| 16 STK       | 26SKR300         | Guardrail single                          |
| <b>3</b> STK | 26GS1041         | Diagonal brace                            |
| 18 STK       | 26ST1003         | Base Jacks                                |
| <b>8</b> STK | 26ST1140         | Locking boards                            |
| <b>9</b> STK | 26GS1090         | Ring bolt                                 |
| 1 STK        | Mont-Murstillads | Assembly instructions Masonry scaffolding |

| 11 STK        | 26GS1011 |
|---------------|----------|
| 18 STK        | 26GS1115 |
| <b>4</b> STK  | 26SKR160 |
| <b>48</b> STK | 26ST1100 |
| <b>9</b> STK  | 26ST1120 |
| <b>9</b> STK  | 26ST1005 |
| <b>9</b> STK  | 26GS1089 |

Standard tube Ledger beam Guardrail single Wooden grating Toeboard bracket Tie rod w/clamp Fixing cramp

#### Spareparts



ALU Locking mechanism 1600300



Plywood for platforms w/o hatch 7501780



1690050



Storm lock 1003050231



End piece 100305023



Screw 5,5x25 skrue



Pop rivet Popnitte6,4x22



Pop rivet Popnitte6,4x12



Single Coupler 18SFS216 5189340



Bushing 1400210NY



Top plug for screwjack 1400211NY



ALU Locking mechanism 1600300

## Accessories

