Pro Facade Scaffolds Superflex

Aluminium | 1,8 x 12 m



PRO

EN12810

Specifications

Working Height: 3.8 m Standing Height: 1.8 m Scaffolding Class: 3.0 Length: 12 m Weight: 203.14 kg Material: Aluminium Colour: Grey Certification: EN12810 Jumbo Brand: PRO SCAFFOLDS



Product no.	DBNumber	EAN Code	Jumbo Brand	Warranty	Net Weight
211812s	1270918		PRO SCAFFOLDS	10 years	203.14 kg

Description

The Pro Facade Scaffolds Superflex is designed to meet the needs of professional craftsmen who require both strength and flexibility in their scaffolding system. The scaffold features strong and lightweight frames made from aluminum alloy 6005 T6, providing an optimal combination of high strength and low weight.

The frames are constructed with Ø50x4mm tubes and are fully welded, ensuring a stable and secure structure. This construction makes the scaffold ideal for demanding tasks where reliability is crucial.

Diagonals and handrails are equipped with impact-resistant, fully welded claws, further enhancing the durability and safety of the scaffold. This makes the Superflex system particularly suitable for both small and large construction projects.

The system is extremely flexible and offers many customization options, making it easy to adjust the scaffold to different needs on the job site. Additionally, it is quick and easy to assemble and disassemble, saving time and increasing efficiency.

The scaffold is supplied with JUMBO Scaffolding Platforms, which combine aluminum and waterproof plywood, ensuring a saf

Detail Images

The set consists of

5 STK	12079200s
4 STK	1103050
4 STK	1003050 26ST1003
10 STK	26ST1003
4 STK	1591010

Frame 2 m Horizontal brace / diagonal Platform w/o hatch Base Jacks Eye Screws

5 STK11006911 STK11035101 STK15502124 STK26ST1005

- 4 STK 1590010
- Horizontal brace Diagonals Scaffold Ladders Tie rod w/clamp Rawplugs

Spareparts



ALU Locking mechanism 1600300



Plywood for platforms w/o hatch 7501780



Hook 1690050



Storm lock 1003050231



End piece 100305023



Screw 5,5x25 skrue



Pop rivet Popnitte6,4x22



Pop rivet Popnitte6,4x12



Single Coupler 18SFS216 5189340




Bushing 1400210NY




Top plug for screwjack 1400211NY

ALU Locking mechanism 1600300

Accessories



Frame 2 m 12079200s 1252848



12079100s

1252849

Frame 75 cm 12079075s 1252850



Frame 50 cm 12079050s 1252851



Wide bottom frame 12135225 5189254



Bracket

1520060

5929687



Bracket 1520060hs 1252857



Scaffold Ladders 1550212 5929691