

Pro Single Towers AGR


250 x 74 cm | 8.2 / 10.2 m



✓ EN1004

PRO

10 YEAR WARRANTY



Specifications

- Working Height: 10.2 m
- Standing Height: 8.2 m
- Scaffolding Class: 3.0
- Load Capacity: 200 kg/m²
- Length: 250 cm
- Width: 74 cm
- Weight: 233 kg
- Material: Aluminium, Veneer
- Colour: Grey
- Castor Size: Ø12,5 cm
- Certification: EN1004
- Jumbo Brand: PRO SCAFFOLDS

Product no.	DBNumber	EAN Code	Jumbo Brand	Warranty	Net Weight
7900-8-A	2335386		PRO SCAFFOLDS	10 years	233 kg

Description

The JUMBO Scaffolding Pro Double Towers AGR is the perfect choice for professional craftsmen who require flexibility and stability in their work tasks. The scaffold is specifically designed for 2 m planking, with a maximum height of 3.40 m to the first platform and 2.25 m between subsequent platforms, making it ideal for larger projects.

This scaffold is equipped with the advanced AGR guardrail, featuring built-in diagonal bracing to ensure optimal stability and safety. The claws on the diagonals and guardrails are made from high-impact, fibreglass-reinforced plastic, providing extra durability and strength.

The scaffold platforms are made from waterproof, non-slip Finnish birch plywood, mounted in strong aluminium frames. The staggered hooks on the platforms allow for lengthwise extension without displacement, and the patented storm lock underneath ensures that the platforms stay securely in place under all weather conditions.

As standard, JUMBO Scaffolding comes with Ø125 mm castors with brakes. The castors feature a durable polyurethane coating, making them resistant to solvents and wear. The castors can be replaced with larger Ø200 mm castors with brakes a

Detail Images



Non-slip platforms equipped with staggered hooks, which makes lengthwise extention without displacement possible



Placed at each end under the platform, the patented storm locks are used to secure the platform to the scaffold



Fully welded frames



Impact-resistant Fibreglass Reinforced Plastic Claws


The set consists of

4 PCS	1400125	Castor w/brakes	7 PCS	12074200	Frame 2 m
2 PCS	12074100	Frame 1 m	2 PCS	12074101	Guardrail frame narrow 1 m
2 PCS	1102504	Diagonals	1 PCS	1102500	Horizontal brace / diagonal
8 PCS	1102500-AGR	Railing w/diagonals	4 PCS	1002501	Platform w/hatch
18 PCS	1600100	Safety clips	16 PCS	FLB-1	Toeboard clip
1 PCS	mont-RULLE	Assembly instructions Rolling scaffold	1 PCS	katalog/avis	JUMBO 2024 product brochure

Spareparts



Accessories



Railing w/diagonals
1102500-AGR
2335720



Toeboard Sets
1620178s
5741563



Exchanges castors
1400204
7782766




Platform Sets w/Railing
102501sk
7782733



Frame 2 m
12074200
7782808



Frame 1 m
12074100
7782816



Guardrail frame narrow 1 m
12074101
7782824



Outrigger
1410250
7782758



Extensions set for single
towers

s-1

7782717