

# Pro Single Towers

305 x 74 cm | 5.2 / 7.2 m



EN1004 PRO 10 YEAR WARRANTY



## Specifications

Working Height: 7.2 m  
Standing Height: 5.2 m  
Scaffolding Class: 3.0  
Load Capacity: 200 kg/m<sup>2</sup>  
Length: 305 cm  
Width: 74 cm  
Weight: 149.66 kg  
Material: Aluminium, Veneer  
Colour: Grey  
Castor Size: Ø12,5 cm  
Certification: EN1004  
Jumbo Brand: PRO SCAFFOLDS

Product no.	DBNumber	EAN Code	Jumbo Brand	Warranty	Net Weight
79305-5	5348125		PRO SCAFFOLDS	10 years	149.66 kg

## Description

JUMBO Scaffolding Pro Single Towers is a versatile aluminium scaffold in professional craftsman quality, ideal for both small and large tasks. This set is specifically designed for 2 m and 4 m planking, offering flexibility in platform heights, making it suitable for various work applications.

2 m planking: Max. height to the first platform is 3.40 m, and max. 2.25 m between subsequent platforms.

4 m planking: Max. height to the first platform is 4.40 m, and max. 4.00 m between subsequent platforms.

The scaffold is built with fully welded joints on all frames, ensuring enhanced strength and stability. The diagonal braces and guardrails are fitted with high-impact, solid claws that are designed to withstand heavy loads and daily use.

The platforms are made from waterproof, non-slip Finnish birch plywood, mounted in strong aluminium frames, providing a stable and durable work surface. The staggered hooks on the platforms allow for lengthwise extension without displacement. Additionally, a patented storm lock underneath the platforms secures them against movement in windy conditions and fits all types of scaffolding.

As standard, JUMBO Scaffolding is equipped with extra-sturdy Ø125 mm castors with brakes. These castors feature a polyure

## Detail Images



Non-slip platforms equipped with staggered hooks, which makes lengthwise extension without displacement possible



Placed at each end under the platform, the patented storm locks are used to secure the platform to the scaffold



Fully welded frames



High-impact self-locking claws on all horizontal braces and diagonals (tube dimensions: Ø50x2mm). The claws are cast solid quality with fully welded joints.

## The set consists of

4 PCS	1400125	Castor w/brakes
2 PCS	12074100	Frame 1 m
5 PCS	1103510	Diagonals
2 PCS	1003051	Platform w/hatch
8 PCS	FLB-1	Toeboard clip
1 PCS	katalog/avis	JUMBO 2024 product brochure

4 PCS	12074200	Frame 2 m
2 PCS	12074101	Guardrail frame narrow 1 m
9 PCS	1103050	Horizontal brace / diagonal
12 PCS	1600100	Safety clips
1 PCS	mont-RULLE	Assembly instructions Rolling scaffold

## Spareparts



ALU Locking mechanism  
1600300



Plywood for platforms w/o hatch  
7501780



Hook  
1690050



Storm lock  
1003050231



End piece  
100305023



Screw  
5,5x25 skrue



Pop rivet  
Popnitte6,4x22



Pop rivet  
Popnitte6,4x12



Bushing  
1400210NY



Top plug for screwjack  
1400211NY

## Accessories



Exchanges castors  
1400204  
7782766



Frame 2 m  
12074200  
7782808



Extensions set for single towers  
s-1305  
5929675



Platform Sets w/Railing  
103051sk  
5741559



Toeboard Sets  
1620305s  
5741565



Outrigger  
1410150  
7782741