


Pro Double Towers AGR

178 x 135 cm | 8.2 / 10.2 m



EN1004 PRO 10 YEAR WARRANTY

Specifications

Working Height: 10.2 m
Standing Height: 8.2 m
Scaffolding Class: 3.0
Load Capacity: 200 kg/m²
Length: 178
Width: 135 cm
Weight: 278.8 kg
Material: Aluminium, Plastic, Veneer
Colour: Grey
Castor Size: Ø12,5 cm
Certification: EN1004
Jumbo Brand: PRO SCAFFOLDS

Product no.	DBNumber	EAN Code	Jumbo Brand	Warranty	Net Weight
9978-8-A	2335418		PRO SCAFFOLDS	10 years	278.8 kg

Description

The JUMBO Scaffolding Pro Double Towers AGR is a professional-grade aluminium scaffold, perfect for craftsmen who require high quality and flexibility in their work. This set is specially configured for 2 m planking, with a maximum height to the first platform of 3.40 m and a distance of 2.25 m between subsequent platforms.

The scaffold is equipped with AGR (Advanced Guardrail) guardrails featuring built-in diagonal bracing, which adds extra stability and safety during use. The AGR guardrails are made with high-impact claws from fibreglass-reinforced plastic, ensuring a strong and reliable structure.

2m planking: Max. height to the first platform is 3.40 m and max. 2.25 m between following platforms.

Materials: The frames are made of aluminium with fully welded joints for added strength and stability.

The scaffold decks are made from waterproof, non-slip Finnish birch plywood, mounted in strong aluminium frames. The staggered hooks on the decks allow for lengthwise extension without displacement. Additionally, the platforms are secured with a patented storm lock underneath, providing safety during windy conditions.

JUMBO Scaffolding is supplied as standard with extra sturdy Ø125 mm castors with brakes. The castors feature a durable pol

Detail Images



Non-slip platforms equipped with staggered hooks, which makes lengthwise extension without displacement possible



Placed at each end under the platform, the patented storm locks are used to secure the platform to the scaffold



Fully welded frames




Impact-resistant Fibreglass Reinforced Plastic Claws

The set consists of

4 PCS	1400125	Castor w/brakes	7 PCS	12135200	Frame 2 m
2 PCS	12135100	Frame 1 m	2 PCS	12135101	Guardrail frame wide
2 PCS	1101784	Diagonals	1 PCS	1101780	Horizontal brace
8 PCS	1101780-AGR	Railing w/diagonals	4 PCS	1001781	Platform w/hatch
4 PCS	1001780	Platform w/o hatch	18 PCS	1600100	Safety clips
16 PCS	FLB-1	Toeboard clip	1 PCS	mont-RULLE	Assembly instructions Rolling scaffold
1 PCS	katalog/avis	JUMBO 2024 product brochure			

Spareparts



Accessories



Railing w/diagonals
1101780-AGR
2335718




Toeboard Sets
1620178s
5741563



Exchanges castors
1400204
7782766



Platform Sets w/Railing
101781bk
5929706



Frame 2 m
12135200
7782782



Frame 1 m
12074100
7782816



Frame 0,5 m
12074050
5929662



Outrigger
1410250
7782758



Extensions set for double
towers

b-1178

5929672