


# Combiflex Universal Scaffold

4 x 18 m



PRO

 3 YEAR WARRANTY

## Specifications

Working Height: 6 m  
Standing Height: 4 m  
Scaffolding Class: 3.0  
Load Capacity: 200 kg/m²  
Weight: 954.02 kg  
Material: Steel  
Colour: Grey  
Jumbo Brand: PRO SCAFFOLDS

| Product no. | DBNumber | EAN Code | Jumbo Brand   | Warranty | Net Weight |
|-------------|----------|----------|---------------|----------|------------|
| 214018C     | 1609844  |          | PRO SCAFFOLDS | 3 years  | 954.02 kg  |

## Description

The JUMBO Combiflex Universal Scaffold is a flexible and robust scaffolding system designed to meet even the most demanding construction needs. The scaffold is made from hot-dip galvanised high-quality steel, ensuring both high strength and low weight, and providing resistance to corrosion. With built-in diagonal bracing in the railing and an innovative cup/wedge-lock joint system, it is quick and easy to assemble and disassemble. This universal scaffold can be constructed at any angle, 360° around, with up to 8 components at each node, offering maximum flexibility on the construction site.

The JUMBO Combiflex is manufactured in accordance with EN12810 standards, ensuring high quality and safety.

# Detail Images



Cup/wedge assembly



Diagonal Bracing in guardrails



Can be build in any angle

## The set consists of

|        |            |                                    |        |           |                                    |
|--------|------------|------------------------------------|--------|-----------|------------------------------------|
| 14 PCS | 21JCF200S  | Combiflex Standard                 | 14 PCS | 21JCF300S | Combiflex Standard                 |
| 21 PCS | 21JCF70H   | Combiflex Horizontal               | 4 PCS  | 21JCF70RR | Combiflex Guardrail Double Lattice |
| 18 PCS | 21JCF300RR | Combiflex Guardrail Double Lattice | 10 PCS | 1003000   | Platform w/o hatch                 |
| 2 PCS  | 1003001    | Platform w/hatch                   | 2 PCS  | 1550212   | Scaffold Ladders                   |
| 14 PCS | 21JCF740F  | Combiflex Universal Jack 74 cm.    | 14 PCS | 19155     | Lynch pin                          |
| 18 PCS | 21JCF-F    | Combiflex Toeboard clip            | 14 PCS | 26ST1005  | Tie rod w/clamp                    |
| 14 PCS | 1591010    | Eye Screws                         | 14 PCS | 1590010   | Rawplugs                           |

## Spareparts



ALU Locking mechanism  
1600300



Plywood for platforms w/o hatch  
7501780



Hook  
1690050



Storm lock  
1003050231



End piece  
100305023



Screw  
5,5x25 skrue




Pop rivet  
Popnitte6,4x22



Pop rivet  
Popnitte6,4x12




Single Coupler  
18SFS216  
5189340



Bushing  
1400210NY



Top plug for screwjack  
1400211NY



ALU Locking mechanism  
1600300


## Accessories



Combiflex Standard  
21JCF100S  
1608363




Combiflex Standard  
21JCF200S  
1608388



Combiflex Guardrail Double  
Lattice  
21JCF300RR  
1608434



Combiflex Horizontal  
21JCF70H  
1608395



Combiflex Horizontal Beam  
21JCF300HF  
1608417



Combiflex Universal Jack 74  
cm.  
21JCF740F  
1675053



Scaffold Ladders  
1550212  
5929691



Combiflex Bracket  
21JCF70KH  
1616373